




Air Suspension Bearing Co., Ltd



170 mm x 260 mm x 42 mm KOYO 6034 deep groove ball bearings

Bearing No. 6034

6034 Bearing 2D drawings and 3D CAD models

Size	170x260x42 mm
Bore Diameter	170 mm
Outer Diameter	260 mm
Width	42 mm
d	170 mm
D	260 mm
B	42 mm
C	42 mm
r min.	2,1 mm
da min.	181 mm
Da max.	249 mm
ra max.	2 mm
Weight	6,8 Kg
Basic dynamic load rating (C)	161 kN
Basic static load rating (C0)	161 kN
(Grease) Lubrication Speed	2400 r/min
(Oil) Lubrication Speed	2800 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	0605790368394
Product Group	B00308
Enclosure	Open



Air Suspension Bearing Co., Ltd

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	170MM Bore; 260MM Outside Diameter; 42MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Other Features	Deep Groove
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.koyousa.com
Weight / LBS	14.99142
Outside Diameter	10.236 Inch 260 Millimeter
Outer Race Width	1.654 Inch 42 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Bore	6.693 Inch 170 Millimeter
Bearing No.	6034
r(min)	2.1
Cr	201
C0r	161
Cu	6.20



Air Suspension Bearing Co., Ltd

f0	15.8
Grease lub.	2400
Oil lub.	2800
da(min)	181
Da(max)	249
ra(max)	2
(Refer.) Mass(kg)	6.80